



Cumbrian
M A R K E T I N G

Product Guide

- vehicle protection
- masking products
- polythene products
- marketing products

Sales & Enquiries
016977 41080
Fax: 016977 41022
e-mail: enq@cumbrian.co.uk



Townfoot Industrial Estate, Brampton, Cumbria CA8 1SW




Cumbrian
M A R K E T I N G

Company Profile

- Founded in 1980 as a specialist supplier to the automotive aftermarket
- UK operating subsidiary of Horn & Bauer GmbH. Leading international manufacturers of polythene products.
- Based in Brampton, Cumbria with around 40 employees serving over 8000 customers, supported by fully integrated IT facilities.
- Product ranges include:
 - Protection for vehicles in mechanical workshops
 - Protection for vehicles and operatives in paint and body operations
 - Marketing courtesy items for use in support of aftersales activities
- Cumbrian as part of the Horn & Bauer Group place great emphasis on total quality. Products are deliberately positioned at the top end of their respective sector, with a combination of quality and value for money. Cumbrian operate to procedures in accredited ISO9002 quality manuals, and Horn & Bauer have a number of quality assurance accreditations.
- Environmental considerations are a significant part of the Horn & Bauer Group philosophy. Many of the products are manufactured wholly or partly from recycled and reclaimed materials.
- Product innovation has been a hallmark of Cumbrians reputation. Products are carefully researched, designed and marketed to meet the ever changing needs of the automotive aftermarket. These include:
 - The Compact Roll System and Rollset, patented in the UK and Overseas
 - The Kling-On - a completely new concept in seat protection, nominated for a best new product award in the Autotrade Awards 1997.
 - Wondermask an exceptional breakthrough in masking technology, since imitated and now a recognised masking standard. Also nominated for many awards.
- In a customer survey in March 2000, 98% of Cumbrian's customers rated our overall service as good to very good. Many customers regarded the relationship as more than just a supplier.



Wondermask[®]

- 
- **Wondermask Lite**
 - **Wondermask in OEM**
 - **Wondermask Extra
wide products**
 - **Wondermask Range
guide**
 - **Wondermask Top Tips**

Don't Just Cover it - Protect it!®

● Paint adhesive Masking Protection

Wondermask® LITE



The Professional Choice



Horn & Bauer
Folientechnik

● Advantages from **Wondermask® LITE**

New !!!

● In the convenient dispenser box

- optimum protection against dust up to processing, therefore less reworking
- improves static
- clean storage, stackable



● Paint adhesive Masking System

- no marks when used with damp cars
- totally protects all parts of the vehicle against drizzle and overspray
- good vehicle outline visibility gives increased cutting efficiency
- static, tightly clings the vehicle, avoids dust enclosures
- provides dramatic time savings
- provides dramatic cost savings versus masking paper up to 62 %
- excellent paint absorption
- easy to cut
- water resistant, tough and tear resistant, lintfree, no second masking after wet cleaning
- tight in micropores
- heat resistant up to 105 °C temperature on the work surface

● Continuous Sheetting

- special folding system for easier application requiring only one person
- efficient use of material by exact cutting for the corresponding car size

● Packaging

	Dispenser Box		Ref.
Continuous	460 cm	100 m	307 000
Sheeting	400 cm	200 m	304 453
	200 cm	500 m	302 070
	90 cm	1000 m	302 071
Car Cover	6000 x 4000 mm	30 pieces	302 072

● Environment and Disposal

- up to 75 % less use of material versus masking paper
- in producing Wondermask® LITE, only polythene mixtures are used which are environmental friendly, free of heavy metals and do not influence ground-water
- film can be used for extraction of energy or can be recycled and utilized again

● Accessories


- The convenient, mobile dispenser for the dispenser box 306 920
- Film Cutter pack containing 5 pieces 300 262

● www.better-protection.com

for more features and videos of application ask for our CD-ROM or visit above website

Wondermask[®] LITE

Launched in 1989, **Wondermask[®]** is the original paint absorbent masking material. The product continues to evolve, keeping pace with technological advances in paint & technique.




Wondermask LITE is designed to be used on vehicles which are subject to damp conditions, minimising the risk of staining, reducing pre-conditioning of car bodies prior to paint process.

Wondermask[®] LITE

has all the features of **Wondermask Classic** plus added benefits:

- **improved vehicle visibility**
- **enhanced cutting capability**
- **special dispensing for one man operation**
- **full range of material sizes to meet individual requirements of each job.**



All too often the masking process is overlooked with regard to its importance in the achievement of a quality paint job.




Position mobile dispenser at either end of the vehicle. Pull material over the car to the length required, minimising waste and saving time.

The paint absorbent side of **Wondermask[®] LITE** is clearly marked.

Wondermask[®] LITE clings to the vehicle leaving both hands free for taping. Easy to cut & trim.



Complete vehicle protection, paperless masking. Attracts dust & particles away from painted area, for a cleaner job.



Wondermask[®] LITE is designed for vehicles that are subject to damp atmospheric conditions.

As with any polythene product it should not be applied to surface water.



Wondermask[®]

Extra Wide Applications



Wide 4.6m

Suitable for MPV, SUV and
4x4 applications.
200m roll

Code: CR79

- Totally protects all parts of the vehicle against drizzle and overspray
- Good vehicle outline visibility gives increased cutting efficiency
- Provides dramatic time savings
- Provides dramatic cost saving versus paper masking - up to 62%
- Easy to cut
- Minimises risk of sweat marking when used on damp vehicles
- Special folding system assists one person dispensing
- Reduces waste

● Paint absorbent Masking Protection

Wondermask® AQUAFIT

New !! suitable for both existing and new
VOC-compliant paint finishing systems



The tailor-made-solution for water-based paints






Horn & Bauer
Folientechnik

● Advantages of **Wondermask® AQUAFIT**

New !!

- Specifically developed for use with water based and VOC-compliant paint systems



● Professional Masking Protection

- no marks when used on damp cars
- totally protects all parts of the vehicle against paint and overspray
- the light-blue transparent film gives increased cutting efficiency due to good vehicle outline visibility
- static, tightly clings to the vehicle, avoids dust entrapment
- provides dramatic time savings versus masking paper
- excellent paint absorption especially when used with water paints and VOC-compliant paints and primers
- excellent cutting ability
- water resistant, tough and tear resistant, lintfree, no second masking after wet sanding
- no bleed through of water based or solvent based products
- heat resistant up to 110 °C
- efficient use of material by exact cutting to the corresponding car size

● Convenient Dispensing

- the film remains dust free in the dispenser box, resulting in less re-work
- ergonomically correct working height of the trolley dispenser
- dust and dirt absorption is minimised
- clean storage, stackable
- NEW! Wall bracket for the dispenser box!

● Environment and Disposal

- made of environmental friendly recycable polythene-mixtures

● Accessories

- The convenient, mobile unit for the dispenser box 306 920
- Wall bracket for 1 dispenser box 308 016

● www.better-protection.com

for more features and videos of application ask for our CD-Rom or visit above website.

Bodyshop _____ Town _____

Wondermask® LITE

What paint used?

ICI	<input type="checkbox"/>	PPG	<input type="checkbox"/>
Dupont	<input type="checkbox"/>	Standox	<input type="checkbox"/>
Glasurit	<input type="checkbox"/>	Sikkens	<input type="checkbox"/>
Spies Hecker	<input type="checkbox"/>	Other	<input type="checkbox"/>
Water	<input type="checkbox"/>	Solvent	<input type="checkbox"/>



Main Distributor _____

Repairs per week

under 20	<input type="checkbox"/>	21-30	<input type="checkbox"/>
31-40	<input type="checkbox"/>	41-50	<input type="checkbox"/>
51+	<input type="checkbox"/>		



No. of booths:

Prep. ☐ Low Bake ☐ Combi ☐

No. of painters _____

No. of prepers _____

Masking material currently used: _____

Rolls per week: _____

Where is masking done? (ie. booth/prep area) _____

When was the last time you experienced a problem? _____

Sweat mark problems? Yes / No


Bleed Through? Yes / No

Underspray? Yes / No

Waste problems? Yes / No

Overspray? Yes / No

Dirt Inclusions? Yes / No



If we could help you overcome the problems detailed above with a Wondermask Demonstration could we arrange one for: _____

- Launched in 1989 **Wondermask** is the original paint absorbent masking material.
- Clings to vehicle
- Attracts dust and particles away from painted area
- Available in a number of variants and sizes
- High temperature options



Wondermask Classic - Green/Grey colour coded

CR84s	4m x 200m continuous sheeting	suitable for covering whole vehicle
CR89	Car Cover - Large 6.3m 25 pieces per roll	Mondeo size



Wondermask LITE - For use on vehicles which are subject to damp conditions, reducing staining risk

CR71A	0.5m x 500m continuous sheeting	
CR72A	1m x 500m continuous sheeting	
WM200	200cm x 400m continuous sheeting	
CR74	4m x 200m continuous sheeting	Suitable for covering whole vehicle
CR79	4.6m x 200m continuous sheeting	for off road vehicles available in anti-static only



Wondermask HT - White outer surface/green inner. Temp.rating 140 deg./160 deg. peak

CR39	Car Cover 6.3 m x 4m roll of 25
-------------	---------------------------------



Wondermask Dispensers & Cutters

CR55	3 bar wall mounted dispenser unit
CR65	Mobile dispenser unit - 3 bar with wheels
CR63	Long bar wall mounted dispenser
900	Safety cutter blades, white (pack of 4)
901A	Safety cutter blades, white (box of 50)
905	Snitty cutter. Permanent cutter (using replacable blades)
904	Replacement blades for use with 905 (pack of 10)



Supersedes all previous issues. Subject to change without notification.

Wondermask masking material should not be applied directly onto surface water or wet vehicles.

Standard quality procedures apply. No liability is accepted for any damage caused to vehicles as a result of incorrect use of the product, or as a result of the failure of other materials, equipment or machinery used in conjunction with the product.



Polythene Masking Background

The concept of Paperless Masking was originally introduced to the UK market in 1991 with the introduction of Wondermask by Cumbrian Marketing.

Wondermask was the first paint absorbent masking polythene. Prior to this it was necessary to use brown paper along with standard yellow polythene sheeting. A technical support and training facility formed part of the package.

Since it's introduction Wondermask has revolutionised masking practices, and paperless masking is now the standard in most modern body repair facilities. It still remains the bench mark product in the sector.

This sea-change in masking practices and all the cost saving advantages it has brought, has not been helped by the inevitable introduction of many products, aimed at this market, produced and sold purely on price rather than on performance. This often means that operatives soon lack confidence in the product, as many are little better than traditional yellow polythene.

Bodyshop managers, under continuing pressures to reduce cost, may be tempted to use the low cost alternatives without considering that in terms of productivity "cheaper" products may be more costly because of the time it takes to mask a vehicle and other problems that can result in re-work.

Wondermask®

Top Tips

Common Masking Problems

The importance of efficient and effective masking is often overlooked when it comes to the achievement of a quality paint finish. Inefficient preparation can lead to longer implementation with the potential for high defect ratios. Effective masking is an important skill which should be developed by ongoing training and correct usage of materials and techniques compatible with current technology. Wondermask offers some troubleshooting tips on how to avoid common masking mistakes.

1. OVERSPRAY

This occurs when the paint surface is unprotected. It can be eliminated with the use of Wondermask paint absorbent polythene masking car covers or sheeting. De-grease and pre-tape area for painting. Dispense the masking material from a dispenser unit at either end of the vehicle. Pull material over the car to length required, minimising waste and saving time.



2. UNDERSPRAY

This can happen when there is insufficient airflow or dust extraction in the paint cabin. This leads to the excess sprayed paint being drawn between the masking medium and the vehicle, depositing a fine mist on the "protected" surface. Ensure that there is negative air pressure in the spraybooth.

3. GHOST MARKS

Ghost marks are often mistaken for underspray. They are as a result of water entrapment or moisture between the paint finish and the masking during the bake cycle. Make sure that the paint surfaces are dry before masking, and when using polythene masking that it has the capability to minimise staining risks.

4. IMPRESSION MARKS

These are a direct result of masking on top of vulnerable substrate most commonly associated with undercured paint, often from a previous repair. You need to be sure that the paint surface to be masked is fully hardened. Investigate for evidence of previous paint repair which could result in impression marks.

Caution should be exercised when masking onto previously painted surfaces. If you feel that there is a vulnerable substrate the masking media should be removed prior to the bake cycle.




5. DEFORMATION OR MELT

Deformation or melt of masking films can result in either a ghost or impression on the paint surface. The deformation of the masking film may occur when using high intensity infra-red dryers where the operating distance between the lamps and the masked object is below manufacturers recommendations. Operatives should follow manufacturer's guidelines on the use of its equipment. Masking films are available specifically for use with infra-red dryers.

6. PAINT FLAKE

This can occur on polythene masking not specially treated for paint adhesion or to attract overspray. Flaking paint from the masking can cause contamination to the wet, repaired surface, which results in costly, further rectification. Use a recognised paint absorbent polythene masking product, which is also fibreless thereby reducing dirt inclusions.


B u d g e t M a s k



BM 6

- Better material clarity
 - Improved cut ability
 - Best all round capability
 - 6 metre x 100m
-
- Clear masking material
 - Will fit a wide range of dispensers
 - New M fold for one person dispensing

EC2000



4m x 150m
White masking material

**"M fold for one
person dispensing"**

- **Treated to attract overspray**
- **Easy to use, one person operation**
- **Static cling**
- **Translucent/ Light Reflective**
- **Easy to cut**






Cumbrian
M A R K E T I N G



€conomask[®]

Premium Masking at a Budget Price

**Available in 4m x 150m, 5m x
120m, and 6m x 100m Boxed**



- Clear masking material
- Improved material clarity
- Good static cling
- Improved cutting ability
- Supplied in dispenser box



Cumbrian
M A R K E T I N G

Townfoot Industrial Estate, Brampton, Cumbria CA8 1SW


Tel: 016977 41080 Fax: 016977 41022

Email: enq@cumbrian.co.uk

€conomask[®] CDC

Premium Performance Masking At Low Cost

CDC is a new economy moisture absorbant masking film developed for today's cost conscious bodyshop



- For use with 2K acrylic, solvent & waterbase paint systems
- No paint flaking - Paint absorbant
- Reduces ghost and impression marks - Moisture absorbant
- High static cling and easy to cut
- Ideal for use on all vehicles, available in 5m centre fold sheeting

COST EFFECTIVE PREMIUM MASKING



Local Distributor:

Own brand masking materials



**Own branded
White Masking**

4m x 200m

Min 200 rolls



**Own branded
Clear Masking**

4m x 150m

Min 200 rolls

**Do you want to promote your business?
Please enquire for further details**

POLYTHENE SHEETING

Product Ref	Description
CR42	<p>Paint Mixing Room Floor Cover. 1.5m x 50m.</p> <p>Creates clean working area, use on floor/ work-surface. Tough & tear resistant, non-slip on one side.</p> <p>Made from recycled materials. 75 micron. Pallet 50 Rolls</p>
CR47A	<p>Yellow polythene sheeting. 4m x 175m.</p> <p>15 micron. Pallet 30 Rolls</p>





Cumbrian


M A R K E T I N G

Never misplace your cutter again!

Our well-loved safety cutter now has a handy magnet attached, perfect for keeping close at hand whilst you work.

Part Number: 901MAG

Pack Size: 1 Cutter



Cumbrian

M A R K E T I N G

Townfoot Industrial Estate, Brampton, Cumbria CA8 1SW

Tel: 016977 41080 Fax: 016977 41022

Email: enq@cumbrian.co.uk

Don't Just Cover it - Protect it!®

● Self adhesive Protection Film

SMASHWRAP®



Self adhesive temporary
weather protection film



Horn & Bauer
Folientechnik

● Your advantages of **SMASHWRAP®**



● Application

- for vehicles in storage from weather prior to repair
- seal broken windows and sprung doors
- damaged sun-roofs and tailgates
- protect interior door from moisture damage and reduces noise vibration
- to protect interior of the car and foot-well areas
- to protect fender when servicing or assembling
- spray booth lining

● Material properties

- self adhesive inside
- slippery outer surface
- strong, extremely tear resistant
- transparent blue
- easy to apply, easy to remove

● Available sizes

rolls of 100 meters (328 ft)

width

30 cm (12 inches)

60 cm (24 inches)

90 cm (36 inches)

Ref.

304 759

304 760

304 761

● User guidance

- surfaces must be dry, grease and dust free
- peel back edge and unroll a small amount
- carefully press on the vehicle surface
- do not apply on freshly painted surfaces if paint is not fully cured
- best to be used between +40 °F (5 °C) and +90 °F (30 °C)

● Storage

roll should be stored dry and not in direct sun light

● Accessories

2 Handles for convenient application 305 760

● www.better-protection.com

for more features and videos of application
ask for our CD-ROM or visit above website



USER GUIDANCE

Surfaces should be dry and dust free.

Peel back edge of Smashwrap and unroll a small amount.
Carefully apply and press onto vehicle surface.

Care should be taken not to smooth the product onto surfaces with bare hands when applying to damaged metal surfaces, it is advisable to wear protective gloves.

For large areas use a number of overlapped layers of Smashwrap.

Smashwrap should not be applied to paint surfaces that are not fully cured or as part of the paint process - **it is not a masking media.**

Should not be used as transportational film.

DO NOT ATTEMPT TO DRIVE VEHICLES WITH SMASHWRAP COVERING WINDSCREENS OR WINDOWS.

Standard quality procedures apply. No liability is accepted for any damaged caused to vehicles or other surfaces as a result of incorrect use of this product or resulting from the failure of other materials, equipment or machinery used in conjunction with this product.



WEB SITE: www.cumbrian.co.uk

EMAIL : enq@cumbrian.co.uk

Townfoot Industrial Estate, Brampton, Cumbria CA8 1SW

Tel: 016977 41080 Fax: 016977 41022

Mixing Room Protection



CR42L

- Wipe Clean
- Non-Slip
- Light reflection (Makes the room feel lighter)
- Low cost
- Does not absorb paint or thinners



Cumbrian Marketing Limited, Townfoot Industrial Estate, Brampton, Cumbria CA8 1SW



Horn & Bauer Spray Booth Protection Film
CR43
2.6m x 200m
Paint Absorbent White Polythene

Phone 016977 41080

Fax 016977 41022

enq@cumbrian.co.uk

- Paint Absorbent Spray Booth Protection

Spray Booth Lining Film with Tape



Reduced down time for periodic cleaning of your spray booth makes it more productive for more of the time.



Horn & Bauer
Folientechnik

● The advantages of Spray Booth Lining Film with Tape



● Application

- Protects your investment, keeping paint and overspray off the walls.
- Quick and simple to remove and re apply, means minimal downtime.
- Reduced spray booth washing and cleaning downtime.

● Material Properties

- Fixes onto the wall with heat resistant tape.
- No tape residues.
- Unique fold for easy application to the wall.
- Fix to the booth wall with either tape or magnetic strips.
- High paint absorbance to keep paint on the film.
- Film will take multiple paint layers, reducing replacement frequency.

● Packaging

- Open material width of 2.5m, sufficient for most booth wall heights.
- Folded to roll width of 40cm for easy storage and handling.

Ref.
318 631



**Find further products
and our application
videos online!**

www.better-protection.com

Self-Adhesive, transparent Protection Film GLASCLEAN



For panes and lights in spray booth
Multiple fields of use
For covering surfaces



Horn & Bauer
Folientechnik

● Advantages of GLASCLEAN



02/2018

● Range of application

- Keeps panes and lights in spray booth cabins clean
- Protects Displays and Touchpads
- Many other fields of use

● Material characteristics

- Adhesive film
- Transparent
- Tough and tear resistant
- Easy to apply
- Easy to remove without glue residues
- Applicable for all smooth and dust free surfaces
- Perfect cutting ability

● Packaging

- width roll
70 cm 30m 321 901

● Instructions for use

- Apply the foil on the surface to be protected, make sure it is clean and free from dust and grease, press the foil on the surface, unroll the required length and cut accurately
- Apply the film by using the applicator to avoid blisters and wrinkles
- The foil can easily be removed and replaced when solid
- Recommendation: Change after approx. 4 weeks
- The film is not suitable for long term protection of vulnerable surfaces finishes (eg vehicle transportation)

● Storage

- Material should be stored in a dry, cool, and well ventilated room
- Material should not be exposed to direct sunlight

● Useful extras

- Applicator 322 113



Find further products
and our application
videos online!

www.better-protection.com



Horn & Bauer
Folientechnik

Service Protection

- **Kling-On Seat Protector**
- **Seat Covers**
- **Floormats**
- **Car Covers**
- **Floor Covering**
- **Polythene Sheeting**
- **Ancillaries**
- **Product Dispensers**

Quality vehicle protection...
from Cumbrian Marketing

CR12A

Pallet 40

SEAT PROTECTORS

The Kling-On is a revolutionary new seat protector that actually sticks to the seat and does not tear. This means that once fitted, the seat is protected all the way through the workshop process. This is especially useful in the bodyshop environment, where vehicles can be in repair for some time.

The Kling-On®

STRONG • FLEXIBLE • NON-SLIP

Suitable for seats with side airbags



CR55BOX

DISPENSER

A smart 3-Bar dispenser for seatcovers, floor mats and steering wheel gloves/rubbish sacks



Cumbrian
MARKETING



SEAT COVERS

Cumbrian

M A R K E T I N G

Product Ref	Description
CR08	Economy Seat Cover, plain white polythene 500 per compact roll 10 micron 790 x 1300mm suitable for vehicles with head restraints Pallet 56
CR11	Recycled polythene Seat Cover, white tint* 500 per compact roll 13 micron 790 x 1300mm suitable for vehicles with head restraints Pallet 48 (*due to use of recycled materials tint can vary from batch to batch)
CR10/100	Recycled polythene Seat Cover, white. 100 per compact roll 10 micron 790 x 1300mm suitable for vehicles with head restraints Pallet 100
CR17	Bench Seat Cover, Transparent polythene. 250 per compact roll 18 micron 1100 x 1300mm Pallet 48



Don't Just Cover it - Protect it!®

● Workshop Protection for Vehicles

The **OPTIFIT**® Protection System



Show your customer that you care ...



Horn & Bauer
Folientechnik

● The Advantages of the **OPTIFIT®** Protection System

New !!!

● In the convenient **Dispenser Box**

- optimum protection against dust from the first to the last piece
- Single dispensing due to punched slit. All other pieces stay protected in the dispenser box.
- No attraction of dust by the dispenser box. The wall of the workshop remains clean.
- safe transport, easy redispach
- easy storage, stackable



● **OPTIFIT® The Seat Protector!**

- does not cling to operators' clothes because of **low friction outer surface**
- perfect fit due to **extreme anti-slip inner surface**
- tear resistant, applicable for long-term repairing

white/blue polythene

790 x 1330 mm

dispenser box 500 pieces

Ref. 300 030

dispenser box 250 pieces

Ref. 300 033

● **Steering Wheel Protection on a Compact Roll**

- fitting for car and truck steering wheels
- special blue-transparent film
- very stretchy, anti-slip



Ref. 300 127



● **Polythene Floor Mats**

- non slip polythene on one side, floor mat for protection against oil, dirt, water
- 400 x 550 mm
- recycled polythene, grey with print „multi feet“

Ref. 308 182



● **Paper Floor Mats**

375 x 500 mm

white crepe 70 g/m², without print

dispenser box 500 pieces

Ref. 300 314



● **Door Cladding**

- for placement between the metal and the interior door panel
- transparent polythene 100 µm
- 700 x 1000 mm

Ref. 300 144

● **Rubbish Sacks**

700 x 1100 mm/120 l

black polythene 55 µm

dispenser box 150 pieces

Ref. 308 202

● **Wall mounted Dispenser**

blue painted

for 3 dispenser boxes

Ref. 308 015

for 1 dispenser box

Ref. 308 016

● **www.better-protection.com**

for more features and videos of application ask for our CD-ROM or visit above website.

www.better-protection.com

All in One - One for All

● Service Protection for Vehicles

Integral Single Kit



All Available-
As and Where You Need It!



Horn & Bauer
Film Technology

● Integral Single Kit

All in One - One for All



All Protection Products Completely Available

- **Element 1 – Non-Slip Integral Seat Protection**
 - tailored head rest gives better rear view vision
 - protects against oil, dirt and water
 - dimensions: seat cover 760 x 1400 mm
- **Element 2 – Extra Large Integral Floor Protection**
 - floormat will not slip because it is connected to seat cover and does not interfere with the pedals
 - securely fixed to the seat protector - cannot slip under pedals
 - protects against oil, dirt and water
 - dimensions: floormat 510 x 700 mm, considerably larger than usual in the market
- **Element 3 – Gear Lever Protection**
 - white protection bag
 - can be used universally, adapts to all types of gear levers
- **Element 4 – Hand Brake Protection**
 - white protection bag
 - can be used universally, adapts to all types of the hand brakes
- **Element 5 – Steering Wheel Protection with Elasticated Trim**
 - can be used universally, adapts to all types of steering wheels
- **Element 6 – Individually Folded Integral Protection**

Well Organized

- Provides all necessary documents together with complete interior protection.



The Convenient Dispenser Box : 50 Pieces of All You Need!

- **Packaging Unit**
 - 50 pcs. of individually folded Integral protection
 - 50 pcs. of steering wheel protectors with elasticated trim
 - prod. no 317 241

09/2012

FLOOR PROTECTION

Product Ref	Description
303	<p>Paper floor protectors, white recycled paper. 500 pieces, flat pack dispenser carton. 500mm x 370mm</p> <p>Pallet 50 Boxes</p>
320	<p>Paper floor protectors, brown recycled paper. 500 pieces, flat pack dispenser carton. 500mm x 370mm</p> <p>Pallet 50 Boxes</p>
CR20	<p>Polythene floor protectors, non-slip, water resistant. Compact roll of 500 pieces. Perforated. 400mm x 550mm. 40 micron. Printed with footmarks.</p> <p>Pallet 50 Rolls</p>
CR33	<p>Paper crepe floor mats. Roll of 500. 500mm x 370mm.</p>
	<p>Personalised Floor Protectors</p> <p>Overprinted with corporate logo or message.</p> <p>Please ask for a quotation against your specific requirements</p>





Product Ref	Description	
CR49	Replacement Parts Bag, white polythene 500 per roll 250 x 370mm 50micron	
CR39	Clear Car Covers. Transparent 25 covers per roll. 6300 x 4000mm 20 micron for internal storage and dust cover.	
CR56 A/B/C	Smashwrap, Multi-purpose film - available in 3 roll widths, 30,60, 90cm x 100m Low tack, easy application multi purpose film.	
CR57	Double sided tape for use with CR56. 50m x 38mm per roll	
662	Paint Strainers - Nylon mesh for clean filtration. Large filter area for speed. Box of 100	Medium
663		Fine
950	Filler Spreaders. Supplied in packs of 100	





STEERING WHEEL/WING PROTECTION & ANCILLARY

Cumbrian

M A R K E T I N G

Product Ref	Description
301A	Steering Wheel Clingfilm - on hand held dispenser covers approx 215 large steering wheels
312	Steering Wheel Clingfilm, economy box of 10 rolls
313	handle for product. ref: 312 sold individually.
CR54A	Steering Wheel Cover. Stretch polythene 500 per roll, perforated 510 x 150mm helps prevent the nuisance of oil or grease on the customers steering wheel.
305	Wing Covers: Heavy duty PVC with soft non-scratch underside. Integral magnets to position on wing. No liners required. Colours available: Black/Grey
CR51	Rubbish Sacks, large capacity, heavy duty green polythene sacks in perforated rolls. 100 pieces per roll 700 x 1100mm 50micron Pallet 80 rolls





Permaflex

Re-usable Service Protection Products

- *Tough, wipe-clean material* •
- *Wash or dry-clean* •



Elasticated Steering Wheel Cover
Product Ref: 750



Caution

When using re-usable protection products there is an inherent risk of vehicle contamination. Covers must be stored in a clean place and thoroughly checked every time before using



Product Ref	Description
CR55 BOX	Wall mounted dispenser 3 Bar dispenser for seat covers, floormats and steering wheel protectors.
CR95	Headerboard
CR60	Wall mounted dispenser. Single bar with mounting brackets. Suitable for seat cover rolls. 800mm long
CR63	Wall mounted dispenser. as above but in 1000mm length.
CR65	Mobile Trolley Unit. holds 3 rolls of polythene masking material. Ensures all sizes of sheeting available close near to job and for ease of dispensing.
EC61	Economy trolley unit. holds 1 roll of masking polythene to facilitate one person dispensing.

